ANALYTICA CHIMICA ACTA

International journal devoted to all branches of analytical chemistry

(Abstracted, Indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)

VOL. 208 CONTENTS MAY 16, 1988

Spectrometric Methods

Fluorescence in microemulsions and reversed micelles. A review and new results
G. Ramis Ramos, M.C. Garcia Alvarez-Coque, A. Berthod and J.D. Winefordner (Gainesville, FL, U.S.A.) 1

Surface-enhanced Raman spectrometry on a silver-coated filter paper substrate
J.J. Laserna, A.D. Campiglia and J.D. Winefordner (Gainesville, FL, U.S.A.) 21

Homogeneous enzyme-linked competitive binding assay for riboflavin
G.S. Cha and M.E. Meyerhoff (Ann Arbor, MI, U.S.A.) 31

Homogeneous enzyme-linked competitive binding assay for biotin based on the avidin–biotin interaction
S. Daunert, L.G. Bachas (Lexington, KY, U.S.A.) and M.E. Meyerhoff (Ann Arbor, MI, U.S.A.) 43

Fibre-optic fluorosensor for sulphur dioxide
O.S. Wolfbeis and A. Sharma (Graz, Austria) 53

1,2-diarylethylenediamines as fluorogenic reagents for catecholamines
Y. Umegae, H. Nohta and Y. Ohkura (Fukuoka, Japan) 59

Cathodic electroluminescence at the terbium(III)-doped oxide-covered tantalum electrode and its feasibility for the determination of hydrogen peroxide
K. Haapakka and S. Kulmala (Turku, Finland) 69

Determination of ammonium ion in a flow-injection system with a gas-diffusion membrane. Selection of optimal conditions for the pH indicator
R. Nakata, T. Kawamura, H. Sakashita and A. Nitta (Fukui, Japan) 81

Extraction-spectrophotometric determination of tungsten with thiocyanate and some amidines
A. Shukla, K.S. Patel and R.K. Mishra (Raipur, India) 91

Mass spectrometric analysis of polymers with potassium-ion ionization of desorbed species
D. Bombick and J. Allison (East Lansing, MI, U.S.A.) 99

General Analytical Chemistry

Influence of the main parameters of single-line flow-injection systems without chemical reaction on the output signal. Part 1. Dispersion characteristics of the main sections of the flow system
S.D Kolev and E. Pungor (Budapest, Hungary) 117

Influence of the main parameters of single-line flow-injection systems without chemical reaction on the output signal. Part 2. Simulation of the mathematical models
S.D. Kolev and E. Pungor (Budapest, Hungary) 133

Determination of volatile mercury species at the picogram level by low-temperature gas chromatography with cold-vapour atomic fluorescence detection
N. Bloom (Sequim, WA, U.S.A.) and W.F. Fitzgerald (Groton, CN, U.S.A.) 151

Determination of rare earth elements in geological samples by inductively-coupled plasma atomic emission spectrometry after oxalate coprecipitation and cation-exchange column separation
K. Iwasaki (Yokohama, Japan) and H. Haraguchi (Tokyo, Japan) 163

Continuous-flow potentiometric determination of horseradish peroxidase with a fluoride-selective electrode
P.W. Alexander and C. Maitra (Kensington, N.S.W., Australia) 173

Isolation and fingerprinting of some high-molecular-weight polynuclear aromatic compounds
A.L. Colmsjö (Solna, Sweden) and C.E. Östman (Stockholm, Sweden) 183

(Continued overleaf)

(Contents continued)

Electrometric Methods

A battery-powered, computerized instrument for the field-based determination of fluoride by the ion-selective electrode technique
A.M. Bond, H.A. Hudson, V. Mosby, S.N. Tan and F.L. Walter (Waurn Ponds, Vic., Australia) 195

Acid–base equilibria in organic solvents. Part 3. An absolute pH scale from proton basicity evaluated by cyclic voltammetry
P. Ugo, S. Daniele, G.-A. Mazzocchin (Venice, Italy) and G. Bontempelli (Udine, Italy) 207

Anodic stripping voltammetry with mercury electrodes in extracts of cadmium, lead, thallium and indium diethyldithiocarbamate complexes and analysis of mixtures
J. Labuda and M. Vaníčková (Bratislava, Czechoslovakia) 219

Cathodic stripping voltammetry and adsorptive stripping voltammetry of selenium(IV)
V.Stará and M. Kopanica (Prague, Czechoslovakia) 231

Computerized flow constant-current stripping analysis for nickel(II) and cobalt(II) with carbon fibre and modified carbon fibre electrodes
H. Huiliang, C. Hua, D. Jagner and L. Renman (Lund, Sweden) 237

Anodic amperometry and kinetics of 2–4-carbon glycols at the nickel electrode
N. Botros and C.O. Huber (Milwaukee, WI, U.S.A.) 247

Separations

Trace determination and characterization of some proteins in blood serum by high-performance liquid chromatography with a time-resolved laser fluorimetric detector
Y. Kawabata, K. Sauda, T. Imasaka and N. Ishibashi (Fukuoka, Japan) 255

High-density chemically bonded octadecyl phases on silica gels and their application in high-performance liquid chromatography
B. Buszewski and Z. Suprynowicz (Lublin, Poland) 263

Liquid chromatographic resolution of enantiomers containing single aromatic rings with β-cyclodextrin-bonded phases
D.W. Armstrong, Y.I. Han and S.M. Han (Rolla, MO, U.S.A.) 275

Short Communications

A cheap alternative to valinomycin for certain analyses with the potassium ion-selective electrode
R.W. Cattrall, L.W. Deady, S.S. Tan (Melbourne, Vic., Australia) and I.C. Hamilton (Newcastle, N.S.W., Australia) 283

A catechol electrode based on spinach leaves
S. Uchiyama, M. Tamata, Y. Tofuku and S. Suzuki (Saitama, Japan) 287

Flow-injection determination of L-ascorbate with cucumber juice as carrier
S. Uchiyama, Y. Tofuku and S. Suzuki (Saitama, Japan) 291

Amperometric bienzyme electrode for L-carnitine
M. Comtat, M. Galy (Toulouse, France), P. Goulas and J. Souppe (Artix, France) 295

Computerized flow constant-current stripping analysis for gold(III) with carbon or platinum fibre electrodes
H. Huiliang, D. Jagner and L. Renman (Lund, Sweden) 301

Flow-injection determination of creatine in animal tissues
Z. Dvořák (Brno, Czechoslovakia) 307

Application of the iron(III)/3,4-dihydroxybenzaldehyde 4-nitrophenylhydrazone complex for the analysis of sulphide/fluoride/phosphate mixtures by spectrophotometry or atomic absorption spectrometry
E. Kavlentis (Thessaloniki, Greece) 313

Determination of residual chlorine in tap water by flow-injection spectrophotometry
M. Zenki, H.Komatsubara and K. Tôei (Okayama, Japan) 317

(Contents continued)

Determination of metformin hydrochloride in tablets by nuclear magnetic resonance spectrometry
S.Z. El-Khateeb, H.N. Assaad, M.G. El-Bardicy and A.S. Ahmad (Cairo, Egypt) 321
Semiconductor laser fluorimetry for enzyme and enzymatic assays
T. Imasaka, T. Okazaki and N. Ishibashi (Fukuoka, Japan) 325
Application de la chromatographie en phase gazeuse et de la spectrométrie de masse à la recherche des résidus de pentiméthaline dans les eaux
A. Copin and R. Deleu (Gembloux, Belgium) 331
Determination of hydroquinone and metol in photographic developer by reversed-phase ion-pair chromatography with amperometric detection
G. Zou, R. Shi, X. Xie and H. Chen (Nanjing, China) and R. Neeb (Mainz, F.R.G.) 337
Determination of aflatoxins B_1, B_2, G_1 and G_2 by high-performance liquid chromatography with electrochemical detection
B.T. Duhart, S. Shaw, M. Wooley, T. Allen and C. Grimes (Pine Bluff, AR, U.S.A.) 343
The masking effect of iron(III) on the interference from nickel and copper in the determination of tellurium by hydride generation/atomic absorption spectrometry
T. Wickstrøm, W. Lund (Oslo, Norway) and R. Bye (Aas, Norway) 347
Determination of phosphorus by electrothermal atomic absorption spectrometry with a phosphorus hollow-cathode lamp as light source
T. Kubota, K. Uchida, T. Ueda and T. Okutani (Tokyo, Japan) 351

Book Reviews 357

Author Index 361